

IN THE CLAIMS

Claim 1 has been amended as follows:

1. (Currently amended) A medical examination/treatment system comprising:

a catheter system associated with an optical coherence tomography (OCT) image acquisition system, comprising a catheter configured for introduction into and movement in a subject, said catheter having an optical fiber therein for guiding light from said OCT image acquisition system to a region of a tip of the catheter and for radiating the light from said region into an examination region of the subject at which reflection light is produced, and for guiding said reflection light from said region of the tip to a control and processing device of said OCT image acquisition system for generating an OCT image from said reflection light;

an x-ray image acquisition system comprising an x-ray source, an x-ray receiver disposed to receive x-rays from said x-ray source, and a control and processing device for controlling the x-ray source and the x-ray receiver, said control and processing device operating said x-ray source and said x-ray receiver to generate an x-ray image from signals from said x-ray receiver after introduction of said catheter into said subject;

an image processing device connected to at least one monitor, said imaging processing device simultaneously presenting said x-ray image and said

OCT image at said at least one monitor to allow monitoring of movement of said catheter in said subject based on said x-ray image; said catheter comprising a magnetic field-generating element disposed at said tip, and said catheter system comprising a magnetic field generator that generates a magnetic field externally of said examination region that interacts with the magnetic field generated by said element to move said catheter relative to said examination region; and said catheter system comprising a catheter control device connected to said magnetic field-generating element that varies the magnetic field generated by said magnetic field-generating element, and an external magnetic field control device that controls said external magnetic field, and a communication path between said catheter control device and said external magnetic field control device, and said catheter control device controlling said magnetic field generated by said magnetic field-generating element dependent on information supplied thereto by said external magnetic field control device regarding said external magnetic field.

Claim 2 has been amended as follows:

2. (Currently amended) A medical examination/treatment system as claimed in claim 1 wherein said image processing device presents said x-ray image and said OCT image together at ~~said at least one~~ a single monitor.

3. (Original) A medical examination/treatment system as claimed in claim 2 wherein said at least one monitor is a single monitor at which said x-ray image and said OCT image are displayed superimposed.

4. (Original) A medical examination/treatment system as claimed in claim 1 wherein said control and processing device of said x-ray image acquisition system and said control and processing device of said OCT image acquisition system share a single image generator, and wherein said single image generator generates both said x-ray image and said OCT image.

5.-6. (Cancelled).

7. (Previously Presented) A medical examination/treatment system as claimed in claim 1 wherein said control and processing device of said x-ray image acquisition system, said control and processing device of said OCT image acquisition system, and said control unit of said catheter system are integrated into a single control device.

Claim 8 has been amended as follows:

8. (Currently Amended) A medical examination/treatment system as claimed in claim ~~[[6]]~~ 1 wherein said control device of said catheter system varies a strength of the magnetic field generated by said element.

9. (Original) A medical examination/treatment system as claimed in claim 8 wherein said magnetic field-generating element comprises an electromagnet having a core and a coil, and wherein said catheter comprises supply lines connecting said control device of said catheter system to said coil.

10. (Original) A medical examination/treatment system as claimed in claim 9 wherein said electromagnet is a first electromagnet, and wherein said catheter comprises a second magnetic field-generating element comprising a second electromagnet having a core and a coil, and wherein said catheter comprises second

supply lines connecting said second electromagnet to said control device of said catheter system.

11. (Original) A medical examination/treatment system as claimed in claim 10 wherein said control device of said catheter system selectively controls said first and second electromagnets individually or in common.

12. (Previously Presented) A medical examination/treatment system as claimed in claim 1 wherein said catheter has a longitudinal axis, and wherein said magnetic field-generating element generates said magnetic field at said tip in a direction substantially parallel to said longitudinal axis.

13. (Previously Presented) A medical examination/treatment system as claimed in claim 1 wherein said catheter has a longitudinal axis, and wherein said magnetic field-generating element generates said magnetic field at said tip in a direction substantially perpendicular to said longitudinal axis.

14. (Previously Presented) A medical examination/treatment system as claimed in claim 1 wherein said catheter has a longitudinal axis, and wherein said magnetic field-generating element is a first magnetic field-generating element that generates a first magnetic field substantially parallel to said longitudinal axis, and wherein said catheter comprises a second magnetic field-generating element, also disposed at said tip, that generates a second magnetic field substantially perpendicular to said longitudinal axis.

15. (Previously Presented) A medical examination/treatment system as claimed in claim 1 wherein said catheter comprises a permanent magnet element disposed in the region of said tip.

16. (Cancelled).

17. (Original) A medical examination/treatment system as claimed in claim 1 wherein said optical fiber terminates in an end face adapted to radiate said light into said examination region from at least one location selected from the group consisting of sideways from said tip and forward from said tip.

18. (Original) A medical examination/treatment system as claimed in claim 1 wherein said control and processing device of said x-ray image acquisition system and said control and processing device of said OCT image acquisition system are integrated into a single control device.